# RAW SEQUENCE LISTING
ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/085,239

Source: OIPE

Date Processed by STIC: 7/24/02

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:
1) **INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,**
2) **TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY**

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.
PATENTIN 2.1 e-mail help: **patin21help@uspto.gov** or phone 703-306-4119 (R. Wax)
PATENTIN 3.0 e-mail help: **patin3help@uspto.gov** or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:
     http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.
Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.
Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (**<http://www.uspto.gov/ebc/efs/downloads/documents.htm>** , EFS Submission User Manual - ePAVE)
2. **U.S. Postal Service:** U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
3. **Hand Carry directly to:**
   U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
          Or
   U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. **Federal Express, United Parcel Service, or other delivery service to:** U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002

OIPE

Does Not Comply
Corrected Diskette Needed

RAW SEQUENCE LISTING   DATE: 07/24/2002   *Error on p. 3*
PATENT APPLICATION: US/10/085,239   TIME: 15:43:43

        Input Set : A:\00076461.txt
        Output Set: N:\CRF3\07242002\J085239.raw

     3 <110> APPLICANT: University of Sheffield
     4   Ward, Simon
     5   Bavik, Claes
     6   Cork, Michael
     7   Tazi-aahnini, Rachid
     9 <120> TITLE OF INVENTION: Treatment of Hyperproliferative Diseases
    11 <130> FILE REFERENCE: 674569-2001
    13 <140> CURRENT APPLICATION NUMBER: 10/085,239
C--> 14 <141> CURRENT FILING DATE: 2002-07-10
    16 <160> NUMBER OF SEQ ID NOS: 23
    18 <170> SOFTWARE: PatentIn version 3.1
    20 <210> SEQ ID NO: 1
    21 <211> LENGTH: 17
    22 <212> TYPE: DNA
    23 <213> ORGANISM: Artificial Sequence
    25 <220> FEATURE:
    26 <223> OTHER INFORMATION: Example of retinoic response element found in humans and/or
mice
    28 <220> FEATURE:
    29 <221> NAME/KEY: misc_feature
    30 <222> LOCATION: (7)..(7)
    31 <223> OTHER INFORMATION: "n" can be a,t,g, or c
    34 <220> FEATURE:
    35 <221> NAME/KEY: misc_feature
    36 <222> LOCATION: (8)..(8)
    37 <223> OTHER INFORMATION: "n" can be a,t,g, or c
    40 <220> FEATURE:
    41 <221> NAME/KEY: misc_feature
    42 <222> LOCATION: (9)..(9)
    43 <223> OTHER INFORMATION: "n" can be a,t,g, or c
    46 <220> FEATURE:
    47 <221> NAME/KEY: misc_feature
    48 <222> LOCATION: (10)..(10)
    49 <223> OTHER INFORMATION: "n" can be a,t,g or c
    52 <220> FEATURE:
    53 <221> NAME/KEY: misc_feature
    54 <222> LOCATION: (11)..(11)
    55 <223> OTHER INFORMATION: "n" can be a,t,g, or c
    58 <400> SEQUENCE: 1
W--> 59 aggtcannnn naggtca   17
    62 <210> SEQ ID NO: 2
    63 <211> LENGTH: 14
    64 <212> TYPE: DNA
    65 <213> ORGANISM: Unknown

```
      67 <220> FEATURE:
      68 <223> OTHER INFORMATION: Example of DR-2 retinoic response element found in humans
and/or
      69       mice
      71 <220> FEATURE:
      72 <221> NAME/KEY: misc_feature
      73 <222> LOCATION: (7)..(7)
      74 <223> OTHER INFORMATION: "n" can be a,t,g, or c
      77 <220> FEATURE:
      78 <221> NAME/KEY: misc_feature
      79 <222> LOCATION: (8)..(8)
      80 <223> OTHER INFORMATION: "n" can be a,t,g, or c
      83 <400> SEQUENCE: 2
W--> 84 aggtcannag gtca                                                          14
      87 <210> SEQ ID NO: 3
      88 <211> LENGTH: 15
      89 <212> TYPE: DNA
      90 <213> ORGANISM: Unknown
      92 <220> FEATURE:
      93 <223> OTHER INFORMATION: example of consensus vitamin D response element found in
humans
      94       and/or mice
      96 <220> FEATURE:
      97 <221> NAME/KEY: misc_feature
      98 <222> LOCATION: (7)..(7)
      99 <223> OTHER INFORMATION: "n" can be a,t,g or c
     102 <220> FEATURE:
     103 <221> NAME/KEY: misc_feature
     104 <222> LOCATION: (8)..(8)
     105 <223> OTHER INFORMATION: "n" can be a,t,g or c
     108 <400> SEQUENCE: 3
W--> 109 gggtganngg gggca                                                        15
     112 <210> SEQ ID NO: 4
     113 <211> LENGTH: 15
     114 <212> TYPE: DNA
     115 <213> ORGANISM: Unknown
     117 <220> FEATURE:
     118 <223> OTHER INFORMATION: example of vitamin D response element found in humans and/or
mice
     120 <220> FEATURE:
     121 <221> NAME/KEY: misc_feature
     122 <222> LOCATION: (7)..(7)
     123 <223> OTHER INFORMATION: "n" can be a,t,g, or c
     126 <220> FEATURE:
     127 <221> NAME/KEY: misc_feature
     128 <222> LOCATION: (8)..(8)
     129 <223> OTHER INFORMATION: "n" can be a,t,g, or c
     132 <220> FEATURE:
     133 <221> NAME/KEY: misc_feature
     134 <222> LOCATION: (9)..(9)
     135 <223> OTHER INFORMATION: "n" can be a,t,g, or c
     138 <400> SEQUENCE: 4
```

RAW SEQUENCE LISTING   DATE: 07/24/2002
PATENT APPLICATION: US/10/085,239   TIME: 15:43:43

Input Set : A:\00076461.txt
Output Set: N:\CRF3\07242002\J085239.raw

```
W--> 139 aggtcannna ggtca                                              15
     142 <210> SEQ ID NO: 5
     143 <211> LENGTH: 13
     144 <212> TYPE: DNA
     145 <213> ORGANISM: Unknown
     147 <220> FEATURE:
     148 <223> OTHER INFORMATION: example of Peroxisome Profliferator-Activated Receptor
Response
     149       Element found in humans and/or mice
     151 <220> FEATURE:
     152 <221> NAME/KEY: misc_feature
     153 <222> LOCATION: (6)..(6)
     154 <223> OTHER INFORMATION: "n" can be a,t,g, or c
     157 <400> SEQUENCE: 5
W--> 158 aggtcnaagg tca                                                13
     161 <210> SEQ ID NO: 6
     162 <211> LENGTH: 16
     163 <212> TYPE: DNA
     164 <213> ORGANISM: Unknown
     166 <220> FEATURE:
     167 <223> OTHER INFORMATION: example of thyroid response element found in humans and/or
mice
     169 <220> FEATURE:
     170 <221> NAME/KEY: misc_feature
     171 <222> LOCATION: (7)..(7)
     172 <223> OTHER INFORMATION: "n" can be a,t,g or c
     175 <220> FEATURE:
     176 <221> NAME/KEY: misc_feature
     177 <222> LOCATION: (8)..(8)
     178 <223> OTHER INFORMATION: "n" can be a,t,g or c
     181 <220> FEATURE:
     182 <221> NAME/KEY: misc_feature
     183 <222> LOCATION: (9)..(9)
     184 <223> OTHER INFORMATION: "n" can be a,t,g or c
     187 <220> FEATURE:
     188 <221> NAME/KEY: misc_feature
     189 <222> LOCATION: (10)..(10)
     190 <223> OTHER INFORMATION: "n" can be a,t,g or c
     193 <400> SEQUENCE: 6
W--> 194 aggtcannnn aggtca                                             16
     197 <210> SEQ ID NO: 7
     198 <211> LENGTH: 13
     199 <212> TYPE: DNA
     200 <213> ORGANISM: chicken
     202 <220> FEATURE:
     203 <221> NAME/KEY: misc_feature
     204 <222> LOCATION: (7)..(7)
     205 <223> OTHER INFORMATION: "x" can be a,t,g, or c
     208 <400> SEQUENCE: 7
W--> 209 aggtcanagg tca                                                13
     212 <210> SEQ ID NO: 8
```

[handwritten annotation:] no X in sequence; a nucleotide cannot be designated by X

```
213 <211> LENGTH: 9
214 <212> TYPE: DNA
215 <213> ORGANISM: homo sapiens
217 <220> FEATURE:
218 <221> NAME/KEY: misc_feature
219 <222> LOCATION: (2)..(2)
220 <223> OTHER INFORMATION: "n" can be a,t,g, or c
223 <220> FEATURE:
224 <221> NAME/KEY: misc_feature
225 <222> LOCATION: (9)..(9)
226 <223> OTHER INFORMATION: "h" can be a, c or t/u
229 <220> FEATURE:
230 <221> NAME/KEY: misc_feature
231 <222> LOCATION: (7)..(7)
232 <223> OTHER INFORMATION: "h" can be a, c or t/u
235 <220> FEATURE:
236 <221> NAME/KEY: misc_feature
237 <222> LOCATION: (1)..(1)
238 <223> OTHER INFORMATION: "v" can be a, g or c
241 <220> FEATURE:
242 <221> NAME/KEY: misc_feature
243 <222> LOCATION: (8)..(8)
244 <223> OTHER INFORMATION: "n" can be a,t,g, or c
247 <400> SEQUENCE: 8
```

W--> **248 vngatahnh**   9

```
251 <210> SEQ ID NO: 9
252 <211> LENGTH: 22
253 <212> TYPE: DNA
254 <213> ORGANISM: homo sapiens
256 <400> SEQUENCE: 9
257 gcatcattgc tgaggtcaag gc                                        22
260 <210> SEQ ID NO: 10
261 <211> LENGTH: 18
262 <212> TYPE: DNA
263 <213> ORGANISM: homo sapiens
265 <400> SEQUENCE: 10
266 cgataccaag acctccac                                             18
269 <210> SEQ ID NO: 11
270 <211> LENGTH: 13
271 <212> TYPE: PRT
272 <213> ORGANISM: Artificial Sequence
274 <220> FEATURE:
275 <223> OTHER INFORMATION: Peptide 589 synthesised to mimic the proposed binding
regions of
276         RBP to its receptor
278 <400> SEQUENCE: 11
280 Gly Arg Val Arg Leu Leu Asn Asn Trp Asp Val Cys Ala
281 1               5                  10
284 <210> SEQ ID NO: 12
285 <211> LENGTH: 15
```

```
286 <212> TYPE: PRT
287 <213> ORGANISM: Artificial Sequence
289 <220> FEATURE:
290 <223> OTHER INFORMATION: Peptide 592 synthesised to mimic the proposed binding
regions of
291      RBP to its receptor
293 <400> SEQUENCE: 12
295 Met Lys Tyr Trp Gly Val Ala Ser Phe Leu Gln Lys Gly Asn Asp
296 1           5                  10         -     15
299 <210> SEQ ID NO: 13
300 <211> LENGTH: 18
301 <212> TYPE: DNA
302 <213> ORGANISM: Artificial Sequence
304 <220> FEATURE:
305 <223> OTHER INFORMATION: Primer sense 726-743 used ot make probe against K10
307 <400> SEQUENCE: 13
308 tggaggctga catcaacg                                      18
311 <210> SEQ ID NO: 14
312 <211> LENGTH: 22
313 <212> TYPE: DNA
314 <213> ORGANISM: Artificial Sequence
316 <220> FEATURE:
317 <223> OTHER INFORMATION: Primer antisense 1257-1278 used to make probe against K10
319 <400> SEQUENCE: 14
320 tattcagtat tctggcactc gg                                 22
323 <210> SEQ ID NO: 15
324 <211> LENGTH: 22
325 <212> TYPE: DNA
326 <213> ORGANISM: Artificial Sequence
328 <220> FEATURE:
329 <223> OTHER INFORMATION: Primer sense 195-217 used to make probe against K10
331 <400> SEQUENCE: 15
332 caggtggcta tggaggatta gg                                 22
335 <210> SEQ ID NO: 16
336 <211> LENGTH: 22
337 <212> TYPE: DNA
338 <213> ORGANISM: Artificial Sequence
340 <220> FEATURE:
341 <223> OTHER INFORMATION: Primer antisense 687-708 used to make probe against K10
343 <400> SEQUENCE: 16
344 acctcattct catacttcag cc                                 22
347 <210> SEQ ID NO: 17
348 <211> LENGTH: 22
349 <212> TYPE: DNA
350 <213> ORGANISM: Artificial Sequence
352 <220> FEATURE:
353 <223> OTHER INFORMATION: Primer sense 1046-1067 used to make probe against K1
355 <400> SEQUENCE: 17
356 gcatcattgc tgaggtcaag gc                                 22
359 <210> SEQ ID NO: 18
```

VERIFICATION SUMMARY   DATE: 07/24/2002
PATENT APPLICATION: US/10/085,239   TIME: 15:43:44

Input Set : A:\00076461.txt
Output Set: N:\CRF3\07242002\J085239.raw

```
L:14  M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:59  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:84  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:109 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3
L:139 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4
L:158 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5
L:194 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:209 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7
L:248 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8
```